



4X4 JUMP DRIVE HOLDER TUTORIAL



Supplies needed:

- Cutaway Stabilizer (I used 3.5oz)
- (2) Pieces 2"x4.5" Solid Vinyl for Front and Back of Holder
- (1) Piece 2"x3.25" Printed Vinyl for Pocket
- (2) Pieces 1"x2.5" Solid Vinyl for Tabs
- Key Fob Hardware
- Kam Snap Set



- Hoop your cutaway stabilizer.
- Run Step 1. This will be your placement for the Holder and the Tab.




- Lay Down one of your solid vinyl pieces right side up. Use the placement lines to center as best you can.



- Tape Down that first piece.




- Lay down your “accent” printed vinyl piece, Right side up. This is your pocket. Use the stitched lines out to the side to make sure this piece is squared up.



- Tape these really well. I like to tape across the top of the pocket. That way when the stitching goes around your foot does not get caught.



- Flip your hoop over. Take your second solid vinyl piece and tape it to the backside of your stabilizer. This is your back piece of the holder.




- Tape this piece down well, so it does not shift when stitching.



- Run Step 2. This will attach all the pieces of the holder. Pay attention and watch when it gets to that corner pocket. So it does not catch.



- Leave in your hoop. Remove all the tape from the holder on the front.



- Flip your hoop over. Remove all the tape from the backside.



- Take one of your solid tab pieces and tape it down.



- Flip your hoop over and tape the second solid tab piece to the back.



- Put your hoop back on the machine and Run Step 3. This will stitch the front and back piece of the tab together.




- Run Step 4. This will stitch the hole placement on the tab.



- Remove from the hoop and loosely cut out around your pieces.



- These are your two pieces.



- Trim carefully around the edges to clean up, follow stitch line but do not cut the stitches.



- Your 2 pieces should look like this.



- Punch your hole in the tab.



- I like to take a pen and line up my pieces and mark where the snap will be going.




- Punch your hole in the pocket for your snap.



- Add your snap. A hand press works best for this.



- What it should look like with snap in.



- Next put your other snap piece on the tab.



- Line up your 2 pieces. If you think your tab needs to be short now is the time you can trim if needed. Cut the end that will be in the Key Fob Hardware :)



- Crimp your Key Fob Hardware. All Done! Enjoy!!!

